


**FISA TEHNICA**

**Teu 90° redus**

**Categorie:** Fitinguri mufare

**Pagina produs:** <https://bsr.ro/product/teu-90-reduc-ppr/>



Cod: G 8130 red. / G 8130 red. B

**Teu PP-R/PP-RCT 90° redus** - cu mufe pentru sudură la capete

d	d1	d2	d4	d5	l	l1	z	z1	kg/buc	material
20	16	20	29	29	28	28	13	15	0,025	PP-R
20	16	20	29	29	28	28	13	15	0,025	PP-RCT
20	25	20	34	34	32	32	18	16	0,041	PP-R
20	25	20	34	34	32	32	18	16	0,041	PP-RCT
25	16	25	34	29	32	32	16	19	0,035	PP-R
25	16	25	34	29	32	32	16	19	0,035	PP-RCT
25	20	20	34	34	32	32	16	18	0,041	PP-R
25	20	20	34	34	32	32	16	18	0,041	PP-RCT
25	20	25	34	29	32	32	16	17	0,029	PP-R
25	20	25	34	29	32	32	16	17	0,029	PP-RCT
25	25	20	34	34	32	32	16	16	0,039	PP-R
25	25	20	34	34	32	32	16	16	0,039	PP-RCT

Vezi alte produse PLASSON BSR: [www.bsr.ro](http://www.bsr.ro)

## FISA TEHNICA

32	20	20	43	34	37	38	18	22	0,057	PP-R
32	20	20	43	34	37	38	18	22	0,057	PP-RCT
32	20	25	43	34	37	38	18	23	0,076	PP-R
32	20	25	43	34	37	38	18	23	0,076	PP-RCT
32	20	32	43	29	38	36	20	21	0,055	PP-R
32	20	32	43	29	38	36	20	21	0,055	PP-RCT
32	25	20	43	34	37	38	18	22	0,075	PP-R
32	25	20	43	34	37	38	18	22	0,075	PP-RCT
32	25	25	43	34	37	38	18	22	0,072	PP-R
32	25	25	43	34	37	38	18	22	0,072	PP-RCT
32	25	32	43	34	38	36	20	20	0,056	PP-R
32	25	32	43	34	38	36	20	20	0,056	PP-RCT
40	20	40	52	43	44	39	24	24	0,086	PP-R
40	20	40	52	43	44	39	24	24	0,086	PP-RCT
40	25	40	52	43	44	40	23	24	0,086	PP-R
40	25	40	52	43	44	40	23	24	0,086	PP-RCT
40	32	32	52	43	43	44	21	24	0,127	PP-R
40	32	32	52	43	43	44	21	24	0,127	PP-RCT
40	32	40	52	43	44	40	23	22	0,091	PP-R
40	32	40	52	43	44	40	23	22	0,091	PP-RCT
50	20	50	65	43	52	46	28	31	0,155	PP-R
50	20	50	65	43	52	46	28	31	0,155	PP-RCT
50	25	50	65	43	52	46	28	30	0,156	PP-R
50	25	50	65	43	52	46	28	30	0,156	PP-RCT
50	32	50	65	43	52	46	28	28	0,158	PP-R
50	32	50	65	43	52	46	28	28	0,158	PP-RCT
50	40	50	85	85	62	62	39	35	0,161	PP-R
50	40	50	85	85	62	62	39	35	0,161	PP-RCT
63	20	63	85	43	62	62	35	48	0,313	PP-R

## FISA TEHNICA

63	20	63	85	43	62	62	35	48	0,313	PP-RCT
63	25	63	85	43	62	62	35	46	0,31	PP-R
63	25	63	85	43	62	62	35	46	0,31	PP-RCT
63	32	63	85	43	62	62	35	44	0,318	PP-R
63	32	63	85	43	62	62	35	44	0,318	PP-RCT
63	40	50	85	85	62	62	39	35	0,369	PP-R
63	40	50	85	85	62	62	39	35	0,369	PP-RCT
63	40	63	85	85	62	62	35	42	0,315	PP-R
63	40	63	85	85	62	62	35	42	0,315	PP-RCT
63	50	63	85	85	62	62	35	39	0,317	PP-R
63	50	63	85	85	62	62	35	39	0,317	PP-RCT
75	20	75	100	43	71	71	41	57	0,505	PP-R
75	20	75	100	43	71	71	41	57	0,505	PP-RCT
75	25	75	100	43	71	71	41	55	0,506	PP-R
75	25	75	100	43	71	71	41	55	0,506	PP-RCT
75	32	75	100	43	71	71	41	53	0,503	PP-R
75	32	75	100	43	71	71	41	53	0,503	PP-RCT
75	40	75	100	65	71	71	41	51	0,503	PP-R
75	40	75	100	65	71	71	41	51	0,503	PP-RCT
75	50	75	100	65	71	71	41	48	0,505	PP-R
75	50	75	100	65	71	71	41	48	0,505	PP-RCT
75	63	75	100	101	71	71	41	44	0,515	PP-R
75	63	75	100	101	71	71	41	44	0,515	PP-RCT
90	63	90	120	85	83	83	50	55	0,903	PP-R
90	63	90	120	85	83	83	50	55	0,903	PP-RCT
90	75	90	120	100	83	83	50	53	0,906	PP-R
90	75	90	120	100	83	83	50	53	0,906	PP-RCT
110	63	110	148	85	99	99	62	71	1,524	PP-R
110	63	110	148	85	99	99	62	71	1,524	PP-RCT

## FISA TEHNICA

110	75	110	148	100	99	99	62	69	1,547	PP-R
110	75	110	148	100	99	99	62	69	1,547	PP-RCT
110	90	110	148	120	99	99	62	66	1,593	PP-R
110	90	110	148	120	99	99	62	66	1,593	PP-RCT
125	75	125	165	100	124	104	84	74	2,297	PP-R
125	75	125	165	100	124	104	84	74	2,297	PP-RCT
125	90	125	165	120	124	106	84	73	2,25	PP-R
125	90	125	165	120	124	106	84	73	2,25	PP-RCT
125	110	125	165	148	124	110	84	87	2,365	PP-R
125	110	125	165	148	124	110	84	87	2,365	PP-RCT